


28.04.2025 Spinner at P8 (yellow room AG Reuter / CeOPP)

Spinner Speed control


Speed (Spinner), rpm	Speed (measured), rpm	Factor
100	-	-
500	488	0.976
1000	1000	1.000
1100	1100	1.000
1150	1150	1.000
1200	1248	1.040
1300	1500	1.154
1400	1765	1.261
1500	2007	1.338
1600	2246	1.404
1700	2466	1.451
1800	2690	1.494
1900	2900	1.526
2000	3126	1.563
2100	3308	1.575
2500	4053	1.621
3000	4900	1.633
3500	5665	1.619
4000	6250	1.563
4500	7143	1.587
5000	7692	1.538
5500	8235	1.497
6000	8732	1.455
6500	9228	1.420
7000	9678	1.383
7500	10021	1.336
8000	10760	1.345



05.08.2025 Spinner at P10 (new spinner)

Spinner Speed control (acc was set to 500 for every measurement)

Speed (Spinner), rpm	Speed (measured), rpm	Factor
100	-	-
500	460	0.976
1000	1000 (+/-1)	1.000
1100	1100	1.000
1150	1150	1.000
1200	1200	1.000
1300	1300	1.000
1400	1400	1.000
1500	1500	1.000
1600	1600	1.000
1700	1700	1.000
1800	1800	1.000
1900	1900	1.000
2000	2000	1.000
2100	2100	1.000
2500	2500	1.000
3000	3000	1.000
3500	3500	1.000
4000	4000	1.000
4500	4500	1.000
5000	5000	1.000
5500	5500	1.000
6000	6000	1.000
6500	6500	1.000
7000	7000	1.000
7500	7500	1.000
8000	8000	1.000



Measurement device

Voltcraft DT-30LK SE

VOLTCRAFT DT-30LK SE Drehzahlmesser mechanisch, optisch 2 - 20000 U/min

EAN: **4064161234298**  Hst.-Teile-Nr.: **VC-13166300**  Bestell-Nr.: **2633260 - 62** 

★★★★★ (6)



VOLTCRAFT

Datenblatt

 [Datenblatt 2633260 VOLTCRAF...](#)

[Alle anzeigen](#)

Varianten

DT-30LK SE kalibriert Werksstandard (ohne Zertifikat) 

Unser Service für Sie

